elcometer inspection equipment

Elcometer Protective Coating Inspection Kit 1, 2 & 3

The Elcometer Protective Coatings Inspection Kits 1, 2 & 3 provide the tools required for the on-site inspection of a coating, including surface profile, dewpoint, relative humidity, both wet and dry film thickness and also adhesive testing.

Available as metric or imperial kits and housed in a sturdy, lightweight carry case, Elcometer Protective Coatings Inspection Kits are invaluable to the operator in the field to ensure the coating is, or has been, applied correctly.



An entry level inspection kit containing profile, climate, wet and dry film thickness. The Elcometer 456 coating thickness gauge connects via Bluetooth[®] to ElcoMaster[™] Data Management Software for paperless quality assurance.

Protective Inspection Kit 2

Like the Protective Inspection Kit 1 but with the addition of the Elcometer 224 digital surface profile gauge with data collection functionality and the Elcometer 319 digital dewpoint meter. Reports via ElcoMaster™ can include data from both profile and climate inspections as well as dry film thickness.

Protective Inspection Kit 3

A comprehensive digital inspection kit providing gauges with data collection functionality for profile, climatic conditions and dry film thickness.

It comes complete with ElcoMaster[™] data management software with Bluetooth[®] communication to PC and Android[™] Mobile Apps for instant data analysis and reporting for paperless quality assurance.

Measurement parameters include:

- Surface profile
- Surface temperature
- Climatic conditions
- Coating thickness
- Adhesion



Kit 1



Kit 2



Kit 3





STANDARDS:

AS 1580.408.4, AS 2331.1.4, AS 3894.3-B, AS 3894.9, AS/NZS 1580.107.3, AS/NZS 1580.108.1, ASTM B 499, ASTM D 1186-B, ASTM D 1400, ASTM D 3359-B, ASTM D 4414-A, ASTM D 4417-B, ASTM D 4417-C, ASTM D 7091, ASTM E 376, ASTM G 12, BS 3900-C5-6B, BS 3900-C5-6A, BS 3900-C5-7B, BS 3900-E6, BS 7079-C5, BS 5411-11, BS 5411-3, BS 5599, BS 7079-B4, DIN 50981, DIN 50984, ECCA T1, ECCA T6, EN 13523-1, EN 13523-6, IMO MSC.215(82), IMO MSC.244(83), ISO 1461, ISO 16276-2, ISO 19840, ISO 2063, ISO 2360, ISO 2409, ISO 2808-1A, ISO 2808-6A, ISO 2808-6B, ISO 2808-7B, ISO 2808-7C, ISO 2808-7D, ISO 2808-12, ISO 8502-4, ISO 8503-5, JIS K 5600-1-7, JIS K 5600-5-6, NACE RP0287, NF T30-038, NF T30-124, NF T30-125, SANS 5772, SS 184159, SSPC PA 2, US Navy NSI 009-32, US Navy PPI 63101-000



Elcometer Protective Coating Inspection Kit 1, 2 & 3

Contents						
		Kit 1	Kit 2		Kit 3	
Model	Description		Standard	Тор	Standard	Тор
Elcometer 122	Testex Tape, Coarse & Extra Coarse					
Elcometer 124	Thickness Gauge					
Elcometer 224	Digital Surface Profile Gauge		Model B Integral	Model T Separate	Model B Integral	Model T Separate
Elcometer 224	Standard Separate Probe					
Elcometer 212	Digital Thermometer °C (°F) with Surface Probe					
Elcometer 116	Whirling Hygrometer °C (Metric), Sling Hygrometer °F (Imperial)					
Elcometer 114	Dewpoint Calculator					
Elcometer 319	Digital Dewpoint Meter		Standard	Тор	Standard	Тор
Elcometer 112	Hexagonal Wet Film Comb 25 - 3000μm (1 - 120mils)					
Elcometer 115	Wet Film Comb (Set of 4)					
Elcometer 456	Integral Digital Coating Thickness Gauge, 0 - 1500µm (0 - 60mils)	Ferrous Model B				
Elcometer 456	Separate Digital Coating Thickness Gauge		Ferrous Model S	Ferrous Model S	Dual FNF Model T	Dual FNF Model T
Elcometer 456	Standard Separate Probe, 0 - 1500µm (0 - 60mils)		Ferrous	Ferrous	Dual FNF	Dual FNF
Elcometer 107	Cross Hatch Full Kit ¹					
ElcoMaster™	Data Management Software & USB Cable					

¹ Kit 1: supplied with 6 x 1mm and 6 x 2mm cutters, Kits 2 & 3 Metric: supplied with 6 x 2mm cutter, Kits 2 & 3 Imperial: supplied with 6 x 1mm cutter

Technical Specification				
Part Number Metric	Imperial	Description		
YKIT-PROTECTIVE-1M	YKIT-PROTECTIVE-1E	Elcometer Protective Inspection Kit 1		
YKIT-PROTECTIVE-2SM	YKIT-PROTECTIVE-2SE	Elcometer Protective Inspection Kit 2 Standard		
YKIT-PROTECTIVE-2TM	YKIT-PROTECTIVE-2TE	Elcometer Protective Inspection Kit 2 Top		
YKIT-PROTECTIVE-3SM	YKIT-PROTECTIVE-3SE	Elcometer Protective Inspection Kit 3 Standard		
YKIT-PROTECTIVE-3TM	YKIT-PROTECTIVE-3TE	Elcometer Protective Inspection Kit 3 Top		
Dimensions	Kit 1 Kit 2 Kit 3	456 x 384 x 110mm (17.95 x 15.12 x 4.33") 456 x 384 x 127mm (17.95 x 15.12 x 5.00") 456 x 384 x 127mm (17.95 x 15.12 x 5.00")		

If the kit that you require is not listed above, Elcometer will be happy to discuss your requirements and create one to suit your particular needs.